

Plan for End-of-Life (EOL) PLC and HMI Hardware and Software

Cindy Lees
PLC Manager



Outdated Allen-Bradley PLCs

- All SLCs: Unsupported; parts are no longer available
- SLC 5/04 & Earlier: Ethernet network is not a capability
 - Ethernet networks are this industry standard
- SLC 5/05 & Later: Ethernet network is a capability
 - Fact remains that parts aren't available, and the series is not supported
- ControlLogix L61
 - Ethernet network is available
 - Software cannot be updated. This software is not tag-based.
 - Unsupported; parts are no longer available.
- CompactLogix L35E
 - Ethernet network is available
 - Software cannot be updated.
 - Unsupported; parts are no longer available.

Outdated Emerson PLCs

- Used to be part of GE, but not anymore
- RX3i CPU310
 - Does not have battery pak and may lose program during power loss.
- 9030 – Bad News
 - Remote support is unavailable – trip cost will be factored into pricing
 - Unsupported; parts are unavailable
- 9030 – Good News
 - Simple to replace!
 - Processor
 - Power Supply
 - Back Plane
 - THAT'S IT!

HMI & OIT Replacements

- Why Replace?
 - Unsupported or outdated software and hardware
 - Example of Problems: screens stop working
 - Parts aren't available or accessible
- Why Automation Direct?
 - Compatible w/ CiSCO PLC software
 - Small footprint available
 - Remote accessibility
 - Servicing
 - Updates
 - Downloads
 - It's cheaper! To purchase and maintain!
- Why RealView?
 - Initially generated with CeDAR tool
 - Runs on a Computer (Desktop and Panel-mount PC)
 - Remote accessibility
 - Servicing
 - Updates
 - Downloads

Why update DCS/PLC obsolete datalink?

- Why would customer replace DCS interface to PLC?
 - It is not Ethernet compatible
 - There is no guarantee that it will be compatible with today's processors
 - Not because the upgrade is inexpensive so plan ahead

Why Purchase a CiSCO PLC SYSTEM?

- In-house programmers use the CiSCO standard code.
- Our PLC software is designed to interface with our CiSCO created DAHS software, CeDAR and HMI, RealView.
- Our programmers have interdepartmental knowledge of the PLC and DAHS software.
- PLC Programmers write code and directly support our customers.
- PLC Programmers conduct the hardware/software integration and software project installations, typically.
- Emergency support is available.